









Benell'

IN THE DIFFERENCE BETWEEN LOOKING AND BEING ABLE TO WATCH LIES THE ABILITY TO GO FURTHER AND REALLY UNDERSTAND WHAT WE ARE LOOKING AT.

Through observant eyes, we see the world around us, perceive its stimuli, reacting and engaging, transforming them into innovations.

That is how Lupo was conceived, a unique bolt action rifle, which embodies all qualities of the wolf, the predator by definition, and opens up a new frontier.







Primary extraction on steel

Longer durability.

Picatinny rails

3+2*+3 drilled holes for strong and rigid rail attachment for a consistent precision, even when the scope is frequently disassembled (*tapped).

BE.S.T.

LUPO

L.O.P. spacers

The standard length of pull can be adjusted from 350 mm to 385 mm for quicker, more instinctive shouldering.

Ambidextrous safety

Excellent ergonomics and smoothness, easy to operate keeping the right alignment on the target.

Easy loading

Wider top cartridge loading.

Reduced cheek impact

Detachable magazine

Fast loading and unloading. Double stack magazine, to perfectly align the cartridge to the chamber. More compact with greater capacity and without protrusion.

Aluminium chassis

Greater stiffness between chassis and barreled action, consistency and accuracy.

Integrated trigger guard

Optimal accessibility to trigger, major rigidity of the rifle for utmost accuracy.

Combtech

and vibrations.

Progressive Comfort

Less recoil, greater control and maximum target acquisition speed for repeated rapid firing, staying accurately on target.

Perfect Fitting

Great and easy drop, cast, comb and trigger reach adjustment. Fitting means better control and improved accuracy, thanks to maximum modularity.

Adjustable trigger pull

For maximum control by the hunter.

Steel barreled action and 3-locking lug system

More rigidity for better precision. More safety and 60-degree aperture, for quicker and easier repetition of the shot.

AirTouch grip

The AirTouch checkering of the grip ensures that hunter's hand can breathe naturally for a superior grip.

SUB-M.O.A. Crio free-floating barrel

Every Benelli Lupo is accuracy-tested to prove it performs SUB-M.O.A. with 3-shot group for excellent ballistic performance, using quality factory ammunition.

Muzzle thread



ACCURACY INTEGRATED SYSTEM

RIGID UPPER RECEIVER

Rigid steel heat treated for better accuracy, safe and durable headspace. Fast and precise "ice on ice" bolt movement fluidity, faster cartridge introduction.



CRIO AND FREE-FLOATING BARREL

Industrial cryogenic treatment, applied on the free-floating barrel, further enhances shooting accuracy.

BE.S.T.

Benelli Surface Treatment is on barrel, bolt, bolt handle and upper receiver. This exclusive full protection treatment gives resistance to corrosion, wearing, utmost endurance of materials and precious beauty.




ABSOLUTE REPEATABLE SUB-M.O.A. ACCURACY

In all weather conditions.



MODULARITY


COMFORTABLE AND ERGONOMIC, LUPO FOLLOWS YOUR BODY CONFIGURATION



Interchangeable Combtech

Exclusive, easy, fast and **SELFMADE PRODUCT PERSONALIZATION.**

Benelli Lupo follows hunter's cheek configuration.





LOP 350 MM 13,8" STD



LOP 360 MM 14,2"



LOP 362,5 MM 14,3"



LOP 372,5 MM 14,65"



LOP 375 MM 14,75"



LOP 385 MM 15,2"



6 different L.O.P. configurations

Recoil reduction gives better stability, faster second target acquisition, grip profile optimized for hunters.






36 available positions

Combining 4 drop shims with 3 cast positions (neutral, right, left) and 3 combs, Lupo offers the utmost selfmade personalization to follow any hunter's build.



Drop and cast shim kit







TECHNICAL SHEET













CALIBER	.243 WIN, 6.5 CREED, .270 WIN, .308 WIN, .30-06 SPRG, .300 WIN MAG
LOP (+/- 2 mm)	350 (STD) up to 385
LENGTH (mm)	1082 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 1133 (6.5 CREED, .300 WIN MAG)
WEIGHT (+/- 100 g)	3180 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 3230 (6.5 CREED, .300 WIN MAG)
MAGAZINE CAPACITY	5 (.243 WIN, 6.5 CREED, .270 WIN, .30-06 SPRG, .308 WIN); 4 (.300 WIN MAG)
TWIST RATE (")	8 (6.5 CREED); 10 (.243 WIN, .270 WIN); 11 (.308 WIN, .30-06 SPRG, .300 WIN MAG)
BARREL (cm/")	56/22 (.243 WIN, .270 WIN, .308 WIN, .30-06 SPRG); 61/24 (6.5 CREED, .300 WIN MAG)
BARREL TREATMENT	CRIO and BE.S.T. glossy
BOLT	3 locking lugs; fluted; BE.S.T. glossy
CHASSIS	Aluminium alloy
ACTION	Medium; Steel with BE.S.T. Treatment

STOCK & FOREND	Black Techno-polymer
RECOIL SYSTEM	Progressive Comfort
MAGAZINE	Double stack detachable (5 rounds in all calibers, but .300 WIN MAG with 4 rounds)
DROP AT HEEL (+/- 2 mm)	40; 45; 50 (STD); 55 using the medium-size scope on the rifle
DROP AT COMB (+/- 2 mm)	43
TRIGGER REACH ADJ	+/- 2 mm variation using spacer (1 mm) and shim (1 mm)
MUZZLE THREAD	M14 x 1
SAFETY	Translating ambidextrous 2 positions + bolt locking lever
TRIGGER PULL	Adjustable from 9.99 N to 20 N
СОМВ	Interchangeable Combtech: flat (STD), raised, extra high
RAIL	Two-piece Picatinny rails mounted

Eco-Friendly packaging

Box includes: owner's manual, trigger guard key, SUB-M.O.A. certificate, shim kit and trigger reach spacers, 2 L.O.P. spacers, Ben oil, sling swivels, BE.S.T. certificate, warranty.











Benelli Armi S.p.A.

Via della Stazione, 50 61029 Urbino (PU) - Italy ph. +39 0722 3071 info@benelli.it

QUALITY ASSURANCE SYSTEM CERTIFIED BY THE ITALIAN MINISTRY OF DEFENCE, GENERAL DEPARTMENT OF LAND WEAPONS, ACCORDING TO LAW. This product has been manufactured by an ISO 9001, ISO 14001 and ISO 45001 certified organization.



MIX
Paper from
responsible sources
FSC^{TV} C107156

